



SCOOPEXL[™]

Always together with the patient from the moment of immobilization, during transport to the Emergency Room and into diagnostic departments and operating rooms... and also during transfer from one emergency vehicle to another.

EASY TO USE

Allows the operator to perform all loading maneuvers on polytraumatized patients, even in difficult situations. Only two operators are required to immobilize the patient on any type of terrain. Using **SCOOPEXL[™]** is easy, fast and safe.

COMFORT

The concave shape fits the patient perfectly and comfortably, ensuring more points of contact for the body than a backboard.


ERGONOMICS ³

It has been designed and manufactured according to the most advanced ergonomic criteria and ensures that the operator maintains the correct posture during all patient rescue and transport maneuvers.

SAFETY ¹

The **patented** Twin Safety Lock (TSL) system prevents the **SCOOPEXL[™]** stretcher opening accidentally.

SCOOPEXL[™] can be easily sanitized, thanks to its easily accessible parts.



THERMAL ISOLATION

SCOOPEXL[™] guarantees immediate and effective thermal isolation, thanks to its special plastic material.





COMPACT AND EASY TO TRANSPORT ²

The stretcher can be adapted to any patient, up to a maximum length of 2,010 mm.

It is lightweight and compact, making it easy to fold and transport. It can be stowed in an ambulance, occupying minimal space.

CLINICAL STUDIES

Studies carried out by the *Center for Emergency Medicine* at the University of Pittsburgh demonstrate that the degree of spinal immobilization with the **SCOOPEXL™** stretcher is equivalent to that of a backboard.

They also demonstrate that fewer maneuvers by the operator are needed, causing less stress to the patient's spine. **RISK FREE!**

CERTIFICATION

Certified under **UNI EN 1865**.

Dedicated certified fasteners **UNI EN 1789**.

Non magnetic.



DIAGNOSTICS

SCOOPEXL™ can be used during X-ray examinations for polytraumatized patients. The absence of diamagnetic, paramagnetic or ferromagnetic materials means it can be used for MRI scans.

CE



The **SCOOPEXL™** stretcher is a **SAFETY 4 YOUR BACK** device.

SAFETY 4 YOUR BACK devices are specifically designed to protect a healthcare professional's back.

Visit www.ferno.it for information on our Injury Free courses.





MAIN FEATURES

- Made of aluminum alloy and HDPE plastic polymers.
- Patented locking system Twin Safety Lock (TSL).
- Ergonomic.
- Folds and divides into 2 parts.

- Adjustable length to a maximum of 2,010 mm.
- Compatible with X-ray and MRI diagnostic examinations.
- Easy to sanitize.
- Compatible with quick straps.
- Available colors: yellow, red, green and grey.

TECHNICAL SPECIFICATIONS

Maximum length	2,010 mm
Minimum length	1,647 mm
Maximum width	432 mm

Size when folded	1,200x430x80 mm
Weight	8 kg
Load capacity	159 kg

AVAILABLE MODELS

Description	Code
SCOOPEXL™ stretcher with 4 straps mod. 773	0108004IT/773
SCOOPEXL™ stretcher with 3 plastic strap buckles	0108004PIT
Kit with SCOOPEXL™ , head immobilizer 365-E and 4 straps mod. 773	KIT-65EXL/773

OPTIONAL ACCESSORIES

Description	Code
Head immobilizer	365-E
Fasteners	561-O (horizontal) 561-V (vertical) FBI 300000

EMERGENCY KIT

A bag/backpack to transport material for the immobilization and rescue of an injured patient far from emergency vehicles. Code: 65EXL-EK.

Contains:

- 1 **SCOOPEXL™** stretcher
- 1 WizLoc cervical collar
- 4 Straps 773
- 1 Head immobilizer 365-E
- 1 single-patient high protection blanket



HEAD IMMOBILIZER 365-E

A dedicated head immobilizer, ensures the stretcher can be used as an efficient immobilization system.



STRAPS 773

For patient safety. Shorter application time thanks to the quick fastening system.



561-O AND 561-V FASTENERS

Created and certified to hold the **SCOOPEXL™** stretcher in a horizontal or vertical position. UNI EN 1789 certified.



FERNO®
When It's Critical®

Numero Verde
800 501711

FERNO WASHINGTON ITALIA - Via B. Zallone n.26,
Pieve di Cento 40066 (BO) Italy - Tel. +39 051 6860028 / +39 051 6861508

info@ferno.it - www.ferno.it